



सत्यमेव जयते

Government of India

Ministry of Skill Development & Entrepreneurship

Directorate General of Training

ADVANCED TRAINING INSTITUTE FOR ELECTRONICS & PROCESS INSTRUMENTATION

Green park, Niranjn pur, P.O. Majra, Dehradun (Uttarakhand) – 248 171

Phone: 0135-2629310 Fax: 0135- 2720145

Email address: atiepidhradun@nic.in

## **NOTICE FOR INVITING QUOTATIONS**

No: ATI/DD/PUR/18/2017-18

Dated: 4<sup>th</sup> October, 2017

Online quotations are invited on the *Central Public Procurement Portal* <https://eprocure.gov.in> from the reputed OEMs, firms & vendors for the **Supply & Installation** of “**OPEN AIR GYM EQUIPMENTS**” for the Institute, as per attached **Technical Specifications & Photographs** in *Annexure- I& I(A)* and **Instruction to Bidders** in *Annexure- II*.

S.No	Name of Item	Quantity
1.	Air Walker	01 No.
2.	Leg Shaper ( Double )	01 No.
3.	Chest Shaper ( Double )	01 No.
4.	Single Skier	01 No.
5.	Waist Shaper for two persons	01 No.
6.	Back Shaper	01 No.
7.	Shoulder Shaper (Double)	01No.
8.	Knee Chair	01 No.
9.	Cycle	01 No.
10	Shoulder Wheel ( Single user on both sides )	01 No.

- **Ground & its aesthetics where the above equipment shall be installed, will be prepared by the Institute/Purchaser.**
- **Firm will be compulsorily responsible for Installation, Grouting & preparation of foundation required for fixing of all individual equipments.**

Last Date & Time of Submitting:

24<sup>th</sup> October, 2017, 1500 Hrs.

Date & Time of Opening:

25<sup>th</sup> October, 2017, 1530 Hrs.

( H.C. Goyal )

Deputy Director Training/  
Purchase Officer  
For Director

**GENERAL TECHNICAL SPECIFICATIONS FOR OPEN AIR GYM EQUIPMENTS**

User Weight	The fitness equipment should be designed for minimum 100 kg or more user weight.
Safety and Quality standard	The Outdoor Fitness Equipments should be confirming to the required standard for safety and quality as per DIN/ASTM/CPSC/ES/BIS
Nuts & Bolts	Stainless steel 316 & lock –nut etc. or better.
Material	Galvanized steel pipe, cleaned by sand –blasting, then coated with phosphate solution, and finished with electro-static powder coating or other similar available material meeting the required standard
Anti Rust	Shot blast/grit blasting of equipment to clean the rust Electrostatic power coating technique: To process the pipe surface.
Column	The mild steel pipe, column footing plate with a pull – burst, the surface rust, acid degreasing, cleaning, phosphate rust after a special process, throwing sand, Imported plastic powder with a double surface household-level spraying layer, electrostatic spray, high –temperature plastic 200 degree baking powder, smooth surface, UV resistant or as specified by the manufacturer’s specification.
Seat an plastics	LLDPE/HDPE/metal with any protection/composite material with any protection infiltration of anti-ultraviolet, anti-static decolourization element passing, strength, smooth surface, security assurances, weather resistance etc.
UV	Fully resistant
Platforms	High Strength punching plate, with a special process dealing with wavy surface microscopy, safe and beautiful non-slip resistance.
Fasteners	Stainless steel screws to be used, and at the contact point with the columns-rubber pads to be used, screw top cover with a plastic cap, to enhance its security.
Colour Scheme	All equipment should be of similar colour.

HC  
Ful

SYMBOLIC PHOTOGRAPHS OF OPEN AIR GYM EQUIPMENTS



MC  
Ful

**INSTRUCTIONS TO BIDDERS**

**General**

1. Quotation should be submitted **ONLINE ONLY** on Central Public Procurement Portal only. All Documents should be converted in to **ONE PDF File & Upload online as Single Envelope Tender**.
2. **Quotations received by post, courier or email will be summarily rejected.**
3. The last date of online submitting of the quotation is **24<sup>th</sup> October 2017 at 1500 HRS**
4. **DATE OF OPENING: 25<sup>th</sup> October, 2017 at 1530 HRS.**
5. The bidder shall bear all costs associated with the preparation and submission of quotation.
6. (a) The contract shall be for the full quantity.  
(b) All duties, taxes and other levies payable on the raw materials and components shall be included in the total price.  
(c) **GST in connection with the sale SHALL BE SHOWN SEPARATELY.**  
(d) The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.  
(e) The prices shall be quoted in Indian Rupees only.  
(f) The prices should be at FOR basis at ATI – EPI, Dehradun.
7. **Each bidder shall submit only one quotation. Firms offering Alternative price, Optional price, negotiable price will be summarily rejected.**
8. **Qualification criteria:**
  - (a) **The bidder should be registered company/firm having turnover of at least Rs. 01 Crore in each of the last two consecutive years.** Copies of incorporation of firm, income tax returns of the firm must be uploaded along with quotation.
  - (b) The firm must have supplied & installed at least 10 Nos. Of similar equipment in each of the last two years. Supporting documents to be enclosed.
9. **Format and Signing of Quotation:** The bidder shall obtain digital signature if required by the e-procurement portal. The bidder shall submit/upload his quotation along with all requisite documents through e-procurement platform.
10. **Make & Model No:** must be clearly mentioned in quotation if applicable.
  - (a) Quotation must accompany with product catalogue containing detailed description of essential technical and performance characteristics of offered equipment.
  - (b) Firms fulfilling the complete specifications need only submit the quotations; partial fulfilment of specification or non compliance of technical specification will be summarily rejected.
  - (c) Quotation shall be typed or printed and all the pages numbered consecutively and shall be signed and stamped by the bidder.
  - (d) Any interlineations, erasures or overwriting shall be valid only if they are initialled by the

HC  
Fad

